








































Search

Search in Table...

Model Name	DR750S-2CH Truck	DR750X-2CH IR	DR590W-2CH IR	DR590-2CH IR
Image				
Application	Front & External Waterproof IR camera	Front & Inward-facing IR camera	Front & Inward-facing IR camera	Front & inward-facing IR camera
Resolutions (front + rear) ?	FULL HD + FULL HD	FULL HD + FULL HD	FULL HD + FULL HD	FULL HD + FULL HD
FRONT camera Max. Frame Rate	60FPS	60FPS	30FPS	30FPS
REAR camera Max. Frame Rate	30FPS	30FPS	30FPS	30FPS
Front Camera	2.1M pixels   SONY Starvis™	2.1M pixels   SONY Starvis™	2.1M pixels   SONY Starvis™	2.1M pixels   SONY Starvis™
Rear Camera	2.1M pixels   SONY Starvis™	2.1M pixels   SONY Starvis™	2.1M pixels   CMOS	2.1M pixels   CMOS
Camera View Angle (front   rear)	139°   120°	139°   145°	139°   140°	139°   140°

Model Name	DR750S-2CH Truck	DR750X-2CH IR	DR590W-2CH IR	DR590-2CH IR
WiFi built-in ?	✓	✓	✓	✗
WiFi Frequency (speed)	2.4GHz	2.4GHz	2.4GHz	✗
Cloud compatible	Yes External WiFi hotspot (SIM card not included)	Yes Optional LTE Module (CM100LTE) or external WiFi hotspot (SIM card not included)	✗	✗
Event File Lock	✓	✓	✗	✗
Vision Enhancement	Enhanced Night Vision	Enhanced Night Vision	Night Vision	Night Vision
Recording Mode	– Normal, – Event (Impact Detection / Speed Limit / Manual), – Parking Mode (Impact+Region-based Motion Detection, Timelapse+Events)	– Normal, – Event (Impact Detection / Speed Limit / Manual), – Parking Mode (Impact+Region-based Motion Detection, Timelapse+Events)	– Normal, – Event (Impact Detection / Speed Limit), – Parking Mode (Motion+Impact Detection)	– Normal, – Event (Impact Detection / Speed Limit), – Parking Mode (Motion+Impact Detection)
Parking Mode	Optional Power Magic Pro or Cellink battery	Hardwiring Cable Kit included (built-in power cut off) / Optional Power Magic Pro or Cellink battery	Optional Power Magic Pro or Cellink battery	Optional Power Magic Pro or Cellink battery

Model Name	DR750S-2CH Truck	DR750X-2CH IR	DR590W-2CH IR	DR590-2CH IR
Video Codec 	H.264 (AVC)	H.264 (AVC)	H.264 (AVC)	H.264 (AVC)
GPS 	Built-in	Built-in	External (option)	External (option)
Support up to 256GB microSD				
MicroSD card Format Button				
High Temperature Cut-off				
Scheduled Reboot				
Mic, Speaker (voice guidance) & LED indicators				
Adaptive Format Free				
PC Viewer 				
DC 12-24V supply compatible				

Model Name	DR750S-2CH Truck	DR750X-2CH IR	DR590W-2CH IR	DR590-2CH IR
Power Consumption ?	4W	3.6W	3.7W	3.5W
Links	<a href="#">DR750S-2CH Truck</a>		<a href="#">DR590W-2CH IR</a>	<a href="#">DR590-2CH IR</a>